

Half Yearly Compliance Report**2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Establishment of Industrial Facility for manufacturing of the Agrochemicals & their Intermediates, Synthetic Organic Chemicals & their Intermediates, Chlor-alkali products, Petrochemical based processing products and Captive Co-generation Power Plant		
Name of Entity / Corporate Office	GHARDA CHEMICALS LIMITED		
Village(s)	Suva		
District	BHARUCH		
Proposal No.	IA/GJ/IND3/445352/2023	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	Plot No. D-II/4, Dahej II GIDC Industrial Estate	Sub-District	Vagra
State	GUJARAT	Entity's PAN	*****EQUIRED
MoEF File No.	IA-J-11011/251/2023-IA-II(I)	Entity name as per PAN	GHARDA CHEMICALS LIMITED

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	We have obtained Environmental clearance on 30.04.2025 and committed to comply the conditions mentioned therein. We have not started construction activities yet.
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office	GHARDA CHEMICALS LIMITED	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	54.5957	54.5957
Total	54.5957	54.5957

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Bispyribac Sodium	Tons per Annum (TPA)	31/05/2025	26000	Project construction activity yet to start	0

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

PPs Submission: Agreed to Comply
Noted and shall be complied during construction and operation stages.

Date:
26/11/2025

2	AIR QUALITY MONITORING AND PRESERVATION	5 fields ESP followed by wet scrubber along with stack height of 78 m, 66 m and 62m shall be provided to Coal (primary fuel)/ Biomass Briquette fired CPP Boiler (90 TPH; 50 TPH and 30 TPH) to control particulate emissions as per CPCB /SPCB norms. ESP followed by wet scrubber along with stack height of 78 m, 50 m, 45m, 45m, 33m and 33m shall be provided to Biomass Briquette (primary fuel)/ coal fired CPP Boiler (90 TPH; 20 TPH, 15 TPH, 15 TPH, 5TPH and 5 TPH) to control particulate emissions as per CPCB /SPCB norms. Stack height of 35m and 32 m shall be provided to LDO fired TFH (10 lakh Kcal /hr and 8 lakh Kcal/hr). DG set (35 KVA) as per CPCB/SPCB norms. Stack height of 30m shall be provided to DG set (6x1500 KVA; 6x 1000 KVA) as per CPCB/SPCB norms.
---	---	---

PPs Submission: Agreed to Comply
Noted and shall be complied during construction and operation stages.

Date:
26/11/2025

3	AIR QUALITY MONITORING AND PRESERVATION	1.3 Two Stage Alkali Scrubber followed by Venturi scrubber along with adequate stack height shall be provided to control process emissions viz., hydrogen chloride, sulfur dioxide, Cl ₂ , Br ₂ , H ₂ S, CH ₃ Cl, hydrogen bromide etc. Two Stage water followed by acidic scrubber along with adequate stack height shall be provided to control process emissions viz., ammonia. Caustic scrubber along with adequate stack height shall be provided to control process emissions viz., CO ₂ . Water scrubber along with adequate stack height shall be provided to control process emissions viz., VOC. The scrubbed water should be sent to ETP for further treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
---	---	--

PPs Submission: Agreed to Comply
Noted and shall be complied during construction and operation stages.

Date:
26/11/2025

4	AIR QUALITY MONITORING AND PRESERVATION	1.4 Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odour management plan shall be implemented.
---	---	--

PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
5	WATER QUALITY MONITORING AND PRESERVATION	1.5 The total fresh water requirement from GIDC water supply shall not exceed 10 MLD.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
6	Statutory compliance	1.6 NOC from the Concerned Local authority shall be obtained before start of the construction of plant and drawing of the GIDC water supply for the project activities, State Pollution Control Board /Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 28/11/2025
7	WATER QUALITY MONITORING AND PRESERVATION	1.7 Total industrial wastewater generation from project shall not exceed 5.87 MLD. Industrial effluent shall be segregated into High TDS/COD and low TDS/COD effluent streams. High TDS/COD effluent stream shall be passed through stripper followed by single effect evaporator and ATFD. Condensate and low TDS/COD effluent stream shall be treated in the ETP comprising of primary, secondary and tertiary treatment systems including RO. 1.53 MLD treated effluent shall be recycled/reused in the process and cooling make up. Remaining 2.1 MLD effluent shall be discharged into CETP, Dahej after achieving inlet norms prescribed by the CPCB/SPCB and final disposal pipeline. Automatic /online monitoring system (24 X 7 monitoring devices) for pH meter, flow meter and TOC analyzer shall be installed. Cyanide effluent stream shall be segregated and treated in the dedicated ETP and connected with DCS. ORP meter shall be installed in the ETP. Sewage shall be treated in the STP and treated sewage shall be used for horticulture purpose.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
8	AIR QUALITY MONITORING AND PRESERVATION	1.8 As proposed, the following adequate environmental safeguards shall be provided to address the environmental concerns arising out of proximity to village named Suva located adjacent to the project site: a) Fully automated system shall be provided through a provision of DCS (Distributed Control System) and interlocking system within the plant. Provision of adequate scrubbers will be there for emission control. In case of any leakage, it will initially be handled by the site engineer/ supervisor. Sensors and alarms for HCl, SO ₂ , HC, H ₂ S, Br ₂ and Cl ₂ will be installed at the storage sheds and manufacturing area.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
9	Risk Mitigation and Disaster Management	1.8 b) Secondary sensors and alarms for HCl, SO ₂ , HC, H ₂ S, Br ₂ and Cl ₂ shall be placed at the project boundary wall.

PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
10	Risk Mitigation and Disaster Management	1.8 c) Emergency response team shall be formed to handle such situations and necessary actions for timely evacuation of the workers from the process area to the assembly points shall be taken.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
11	Risk Mitigation and Disaster Management	1.8 d) In case of power failure during an emergency, D.G. sets will be used for shutting down the affected plant and UPS will be installed for backup purpose.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
12	Risk Mitigation and Disaster Management	1.8 e) Additionally, mock drills shall be conducted in the nearby schools, hospitals and Suva Village at least once in a year.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
13	GREENBELT	1.8 f) Dense Green Belt shall be provided at the periphery of the site, i.e. 50 m 250 m (No. of Tree Rows 25 to 125 rows) towards the Suva village at W side and the school side at NNW, approx. 174 m (No. of Tree Rows 37 rows) towards the school side at N and approx. 15 m 155 m (No. of Tree Rows 7 to 77 rows) towards the nallah side at E.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
14	Risk Mitigation and Disaster Management	1.8 g) Location of bulk storage of chemicals shall be away from the sensitive areas concerning safety, the bulk storage of chemicals should be kept maximum away from the Suva village, the nearest School and Hospital.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
15	WATER QUALITY MONITORING AND PRESERVATION	1.8 h) 100 percentage collection and reuse of rainwater runoff shall be done during rainy days by the provision of rainwater collection ponds and a tank to avoid any contamination entering the nallah. A garland drain system shall be constructed around the site to divert rainwater effectively. Moreover, the contour of the plot is such that Suva village is on a higher elevation than the plot. The slope of the plot should be towards the east side.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
16	GREENBELT	1.9 The PP shall develop greenbelt of at least 5 to 10 m width over an area of 18.07 ha (33 percent of total plot area) within the project site mainly along the plant periphery, preferably within a year of the grant of EC. Dense Green Belt shall be provided at the periphery of

		the site, i.e. 50 m to 250 m thick (No. of Tree Rows 25 to 125 rows) towards the Suva village at West side and the school side at NNW, approx. 174 m (No. of Tree Rows 37 rows) towards the school side at North and approx. 15 m to 55 m (No. of Tree Rows 7 to 77 rows) towards the nallah side at E. A total of 56463 nos. of trees shall be planted. Tree saplings selected for the plantation should be of sufficient height, preferably 6 ft shall be planted in greenbelt area. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before and after with geo-location date and time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEFandCC before 1st July of every year for the activities carried out during previous year.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
17	GREENBELT	1.10. Plantation of saplings shall be carried out as a part of tree plantation campaign "EK PED MAA ke NAAM" and details of the same to be uploaded in the Meri LiFE portal (https://merilife.nic.in) in respect to this Ministry's OM No. IA3-22/3/2024-IA.III(E-241594) dated 24th July 2024.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
18	WASTE MANAGEMENT	1.11. All the hazardous waste shall be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or sent for coprocessing. Solid waste shall be segregated into dry and wet garbage at site in accordance to the Solid Waste Management Rules, 2016. Wet waste shall be converted into compost on site and used as manure for greenbelt development. Fly ash from coal as well as biomass shall be collected in dedicated silo and handed over to cement manufacturing unit/bricks manufacturing.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
19	Statutory compliance	1.12. PP shall not produce or consume Ozone Depleting Substances without registration under Ozone Depleting Substances (Regulation and Control) Rules 2000 as amended from time to time.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
20	WASTE MANAGEMENT	1.13. Captive hazardous waste incinerator shall be designed according to the guidelines provided by the Central Pollution Control Board (CPCB). The incinerator shall meet specific performance standards and pollution control norms. Incinerated ash shall be sent to treatment storage disposal facility (TSDF)
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025

21	AIR QUALITY MONITORING AND PRESERVATION	1.14. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
22	WATER QUALITY MONITORING AND PRESERVATION	1.15. Roof top rain water shall be collected in 2x 256 KL underground RCC storage tank. The rain water collected shall be reused within the plant after filtration as per requirement. Storm water from the open area shall be collected separately and stored in an underground RCC storage tank, which has shall be recycled/reused within the plant premises.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
23	Statutory compliance	1.16. A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. PP shall engage Environment officials. In addition to this one safety and health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEFandCC before 1st July of every year for the activities carried out during previous year.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
24	MISCELLANEOUS	1.17. The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is Rs. 760.4 Crore (Capital cost) and Rs. 137 Crore per annum (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before and after with geo-location date and time) and other document as applicable to the Regional Office of MoEFandCC before 1st July of every year for the activities carried out during previous year.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
25	Risk Mitigation and Disaster Management	1.18. A dedicated hood alongwith suction device followed by 2 stage scrubber system of water and caustic based system shall be provided to capture emergency release of Chlorine at work place. Level Indicator Transmitters, Pressure Gauges, and Flow switches for

		accuracy, Auto control (PLC based) system with Audio-visual Alarm system, etc. has been proposed for proper management of Chlorine. Chlorine sensors shall be installed in the Chlorine storage area at lower level and also near the Chlorine handling areas shall be provided.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
26	Statutory compliance	1.19. No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
27	MISCELLANEOUS	1.20. The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEFandCC in this regard.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
28	Statutory compliance	1.21. The project proponent shall comply with the environment norms for synthetic organic chemical as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21.7.2010 under the provisions of the Environment (Protection) Rules, 1986. The project proponent shall comply with the environment norms for Pesticide Industry as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 446 (E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
29	Risk Mitigation and Disaster Management	1.22. All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
30	AIR QUALITY MONITORING AND	1.23. The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 percentage with effective chillers/modern

	PRESERVATION	technology. Regular monitoring of VOCs shall be carried out.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
31	Risk Mitigation and Disaster Management	1.24. The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
32	Risk Mitigation and Disaster Management	1.25. Permanent hoardings containing messages related to safety measures specific to Chlorine shall be installed in marketplaces, schools and other community areas in Suva village.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
33	Human Health Environment	1.26. The occupational health centre for surveillance of the workers health shall be set up. The health data shall be used in deploying the duties of the workers. All workers and employees shall be provided with required safety kits/mask for personal protection. Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
34	AIR QUALITY MONITORING AND PRESERVATION	1.27. The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
35	WASTE MANAGEMENT	1.28. The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.
PPs Submission: Agreed to Comply		Date:

Noted and shall be complied during construction and operation stages.		26/11/2025
36	MISCELLANEOUS	1.29. PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	1.1 No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
2	Statutory compliance	1.2 The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
3	ENERGY PRESERVATION MEASURES	1.3 The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
4	Statutory compliance	1.4 The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.			Date: 26/11/2025
5	Corporate Environmental Responsibility	1.5 The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.			Date: 28/11/2025
6	Corporate Environmental Responsibility	1.6 The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for Environment management/ pollution control measures shall not be diverted for any other purpose.	
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.			Date: 26/11/2025
7	Statutory compliance	1.7 A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	
PPs Submission: Complied EC copy was submitted to Gram Panchayat Suva village.			Date: 28/11/2025
8	Statutory compliance	1.8 The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEFandCC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	
PPs Submission: Complied half yearly compliance report for the Period 01st Oct-2024 to 31st Mar 2025, uploaded on Parivesh portal and posted on website of the company.			Date: 28/11/2025
9	Statutory compliance	1.9 The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEFandCC by e-mail.	
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.			Date: 26/11/2025
10	Statutory compliance	1.10 The project proponent shall inform the public that the project	

		has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
PPs Submission: Complied Advertisement in respect of issue of the Environmental clearance letter was published in two local newspapers on 02.05.2025 and 04.05.2025		Date: 28/11/2025
11	Statutory compliance	1.11 The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Agreed to Comply Noted and shall be complied during construction and operation stages.		Date: 26/11/2025
12	MISCELLANEOUS	1.12 This Environmental clearance is granted subject to final outcome of Honorable Supreme Court of India, Honorable High Court, Honorable NGT and any other Court of Law, if any, as may be applicable to this project.
PPs Submission: Agreed to Comply Noted		Date: 26/11/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		We have completed construction of compound wall. Further project construction activities not yet started
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		