

**Half Yearly Compliance Report**  
**2025**  
**01 Dec(01 Apr - 30 Sep)**

**Acknowledgement**

<b>Proposal Name</b>		Expansion of Agrochemicals, Synthetic Organic Chemicals & their Intermediates manufacturing plant and Captive Co-generation Power Plant and installation of Chlor-alkali manufacturing plant by Gharda Chemicals Limited	
<b>Name of Entity / Corporate Office</b>		GHARDA CHEMICALS LIMITED	
<b>Village(s)</b>		Avashi	
<b>District</b>		RATNAGIRI	
<b>Proposal No.</b>	IA/MH/IND3/434383/2023	<b>Category</b>	Industrial Projects - 3
<b>Plot / Survey / Khasra No.</b>	Plot B-1/6, B-1/7, D-1/2, OS-8 & F-1/1 MIDC, Lote Parshuram, Taluka Khed, District Ratnagiri, Maharashtra-415722	<b>Sub-District</b>	Khed
<b>State</b>	MAHARASHTRA	<b>Entity's PAN</b>	*****EQUIRED
<b>MoEF File No.</b>	J-11011/09/2016-IA-II(I)	<b>Entity name as per PAN</b>	GHARDA CHEMICALS LIMITED

**Compliance Reporting Details**

**Reporting Year** 2025

**Remarks (if any)** The compliance is for period of April-2025 to September-2025.

**Reporting Period** 01 Dec(01 Apr - 30 Sep)

**Details of Production and Project Area**

<b>Name of Entity / Corporate Office</b>	GHARDA CHEMICALS LIMITED	
	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	22.0641	22.0641
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	22.0641	22.0641

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Sulcotrione and its intermediates	Tons per Annum (TPA)	31/07/2029	3000	0.0	1980
2	Mesotrione and its intermediates (MCB Route) OR Mesotrione and its intermediates (TSC Route)	Tons per Annum (TPA)	31/07/2029	3000	0.0	500
3	Clodinafop Propargyl and intermediates ( FPDPA and FPDPA preparation)	Tons per Annum (TPA)	31/07/2029	3000	0.0	520
4	Thiophanate methyl, OR	Tons per Annum (TPA)	31/07/2029	1000	0.0	1000
5	Sulfosulfuron and its intermediates	Tons per Annum (TPA)	31/07/2029	1000	0.0	250
6	Penoxsulam and its intermediate	Tons per Annum (TPA)	31/07/2029	1000	0.0	500
7	Tembotrione and its intermediates	Tons per Annum (TPA)	31/07/2029	1000	0.0	250
8	Chloronil and intermediates (Trichlorophenol)	Tons per Annum (TPA)	31/07/2029	1000	0.0	100
9	Tricyclazol and intermediates	Tons per Annum (TPA)	31/07/2029	1000	0.0	100
10	Buprofezin OR	Tons per Annum (TPA)	31/07/2029	18000	0.0	18000
11	Acetamiprid and its intermediates OR	Tons per Annum (TPA)	31/07/2029	1200	0.0	1200
12	Metalaxyl and its intermediates	Tons per Annum (TPA)	31/07/2029	1000	0.0	1000
13	Trifloxystrobin and its intermediates	Tons per Annum (TPA)	31/07/2029	1000	0.0	400
14	Thiamethoxam	Tons per Annum (TPA)	31/07/2029	1000	0.0	1000
15	Propiconazole and intermediates, OR	Tons per Annum (TPA)	31/07/2029	1000	0.0	1000
16	Hexaconazole and intermediates ( Valeryl chloride, Valerophenone	Tons per Annum (TPA)	31/07/2029	1000	0.0	1000

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	GREENBELT	The PP shall develop and maintain Greenbelt over an area of at least, 49924.7 m2 (inside the plot + 60491.6 m2 within MIDC by planting additional 7707 ( inside and outside – 3402 inside and 4305 outside) number of saplings within a period of one year from the grant of EC. The saplings selected for the plantation should be of sufficient height, preferably 6-ft (about 2 m) The budget earmarked for the plantation shall be kept in separate account and should be audited annually. PP should annually submit the audited statement along with proof of activities, viz. photographs (before & after with geo-location date & time), details of the expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.
<b>PPs Submission: Complied</b> Separate budget code is allocated for plantation and environmental services including CER/EMP activity. Horticulture expert is deputed for maintenance and development of Green belt area. Records such as number of plant, plantation month, species of plants, replacement of dead plants are maintained. Inside and outside green belt areas are maintained. Saplings are planted at these areas at the rate of 2500 / ha basis. Total 27804 plants are planted.		Date: 29/11/2025
2	Statutory compliance	A separate Environmental Management Cell (having qualified persons with Environmental Science/ Environmental Engineering/specialization in the project area) equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. PP shall engage site head- DGM EHS- Env Manager- VP EHS. In addition to this one safety & health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.
<b>PPs Submission: Complied</b> A separate Environmental Management Cell (having qualified persons with vast experience in the project area) exist. Qualified and experience staff is available in Environment , Safety and Health departments. A full fledged laboratory facilities are available to carry out the Environmental monitoring and analysis functions. We are submitting the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF and CC before 1st July for the activities carried out during previous year.		Date: 29/11/2025
3	Statutory compliance	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget propose under EMP is Rs. 75565 lakhs (Capital cost) and 17138 Lakhs per annum (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of

		MoEF&CC before 1st July of every year for the activities carried out during previous year.
<b>PPs Submission:</b> Complied All the environmental protection measures and safeguards proposed in the EIA are being complied. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project are implemented. The expenses towards EMP are tracked. We have submitted the proof of implementation of activities proposed under EMP duly supported by photographs to the state and central authorities. Expenditure incurred as per EMP are tracked and have been submitted to the state and central authorities.		Date: 29/11/2025
4	Statutory compliance	The total water requirement shall not exceed 7540 KLD out of which fresh water of 3612 KLD shall be sourced from MIDC, 85 KLD treated water from STP, 2051 KLD recycled condensate water, 63 KLD rainwater, 129 KLD recovered water from process and 1600 KLD treated water from MEE and RO. For Unit 3, the total water requirement for existing unit shall not exceed 2982 KLD out of which fresh water of 2656 KLD shall be sourced from MIDC, 28 KLD recycled condensate water, 57 KLD rainwater and 241 KLD treated water from RO & Single Effect Evaporator. After expansion the total water requirement is 5155 KLD out of which fresh water of 3185 KLD shall be sourced from MIDC. The PP should ensure that water supply should not be above the permissible limit as mentioned in the letter and fresh water shall be withdrawn only after obtaining valid agreement from Concerned Authority. The PP should submit the details of utilization to the Integrated Regional Office (IRO), MoEF&CC before 1st July of every year for the activities carried out during the previous year.
<b>PPs Submission:</b> Complied The total water consumption is not exceeding the max. consented quantity. For additional water requirement, permission from MIDC is available. We are submitting the details of utilization of water to the Integrated Regional Office (IRO), MoEF and CC before 1st July.		Date: 29/11/2025
5	Statutory compliance	For Unit 1, 4 & 7, total wastewater generation in the existing unit is 1,526 KLD. Domestic sewage of 80 KLD is treated in STP and the treated water obtained is reused in gardening. Cooling tower blowdown of 221 KLD is treated in RO. RO reject is sent to MEE & RO Permeate of 177 KLD obtained is reused in cooling tower. A high concentration stream of 762 KLD including High COD-TDS process wastewater & scrubbing wastewater is treated in MEE. MEE condensate is partially sent to ETP for further treatment and rest for reuse in cooling towers and MEE concentrate is sent to ATFD. Low concentration stream of 463 KLD including R&D Lab effluent & Pilot plant, Low COD-TDS process wastewater, vessel cleaning effluent, pilot plant Boiler blowdown, steam condensate as effluent is treated in ETP. Treated water of 1084 KLD obtained from ETP is discharged to CETP. The existing capacity of wastewater treatment units is STP- 250 KLD, RO- 1340 KLD, MEE- 880 KLD & ETP- 1200 KLD. For Unit 1, 4 & 7, total wastewater generation after expansion will be 3,542 KLD. Domestic sewage of 90 KLD (85 from unit 1, 4 & 7 + 5 KLD from unit no. 3) will be treated in STP and the treated water obtained is reused in gardening. Cooling tower blowdown of 442 KLD will be treated in RO. RO reject will be sent to MEE & RO Permeate obtained will be reused in the cooling tower. A high concentration stream of 2154 KLD including High COD-TDS process wastewater & scrubbing wastewater will be treated in MEE. MEE condensate will be partially sent to ETP for further treatment and rest for reuse in cooling towers and MEE concentrate will be sent to ATFD. Low concentration stream of 861 KLD including R&D Lab & Pilot plant effluent, Low COD-TDS process wastewater, vessel cleaning effluent & pilot plant Boiler blowdown will be treated in

		ETP. Treated water of 1500 KLD obtained from ETP will be discharged to CETP & 1490 KLD will be sent to RO for further treatment. After expansion the capacity of treatment units will be STP- 250 KLD, RO- 2320 KLD, MEE- 3050 KLD & ETP- 3780 KLD.
<b>PPs Submission:</b> Complied 1) Effluent streams are segregated based on COD and TDS. 2) The high TDS process streams are segregated and treated in MEE. MEE condensate is partially recycled in process and rest sent to ETP for further treatment and MEE concentrate is sent to centrifuge and ATFD. The low concentrated process streams are treated in ETP. 3) The domestic water generated is treated in STP and further used for gardening and cooling tower. 4) Utility Effluents like CTW blowdown etc are treated in RO plant, permeate is recycled in cooling tower and reject is fed to MEE plant.		Date: 29/11/2025
6	Statutory compliance	For Unit 3, total wastewater generation in the existing unit is 251. Domestic wastewater of 4 KLD is currently treated in a septic tank followed by a soak pit. FGD High TDS effluent of 6 KLD is treated in Single Effect Evaporator. Single Effect Evaporator concentrate is sent to the Nutsche filter & Single Effect Evaporator condensate is reused in the Cooling Tower. Waste water of 241 KLD from Cogen boiler blowdown & Cooling Tower blowdown is treated in ETP. ETP treated water is further treated in RO & RO permeate is reused in Cooling Tower & RO reject is sent to Single Effect Evaporator. The existing capacity of wastewater treatment units is Single Effect Evaporator- 30 KLD, ETP- 300 KLD & RO- 240 KLD. For Unit 3, total wastewater generation after expansion will be 515 KLD. Domestic wastewater of 5 KLD will be treated in STP of unit 1, 4 & 7. FGD High TDS effluent of 6 KLD will be treated in Single Effect Evaporator. Single Effect Evaporator concentrate will be sent to the Nutsche filter & Single Effect Evaporator condensate is reused in the cooling tower. Waste water of 504 KLD generated from Cogen boiler blowdown & Cooling Tower blowdown will be treated in ETP. ETP treated water will be further treated in RO, RO permeate will be reused in cooling towers & RO reject will be sent to Single Effect Evaporator for further treatment. After expansion the capacity of treatment units will be Single Effect Evaporator- 60 KLD, ETP- 520 KLD & RO- 600 KLD.
<b>PPs Submission:</b> Complied 1) The domestic wastewater generated in Unit 1, 3, 4 and 7 is treated in STP and further used for gardening. 2) The high TDS streams are segregated and treated in SEE. SEE condensate is recycle back in process . The low concentrated process streams are treated in ETP having primary treatment and RO , RO reject is taken in SEE and Permeate is recycled back in process. Unit 3 is a ZLD Unit.		Date: 29/11/2025
7	Statutory compliance	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.
<b>PPs Submission:</b> Complied No banned raw material are used and no banned chemicals are manufactured.		Date: 29/11/2025
8	ENERGY PRESERVATION MEASURES	As proposed, agro-briquettes shall be blended with coal upto 15% as per availability, for use as a fuel in the boilers of CPP and that natural gas shall be used as primary fuel in existing 40 TPH boiler as & when it is available and based on techno commercial viability.
<b>PPs Submission:</b> Complied The agro-briquettes are blended with coal as per availability, for use as a fuel in the boilers of CPP.		Date: 29/11/2025

9	Statutory compliance	The project proponent shall comply with the environment norms for synthetic organic chemical as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21. 7.2010 under the provisions of the Environment (Protection) Rules, 1986.
<b>PPs Submission:</b> Complied We are complying with environment norms for synthetic organic chemicals.		Date: 29/11/2025
10	Statutory compliance	The project proponent shall comply with the environment norms for Pesticide as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 446 (E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986.
<b>PPs Submission:</b> Complied We are complying with environment norms for pesticides.		Date: 29/11/2025
11	Corporate Environmental Responsibility	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
<b>PPs Submission:</b> Partially Complied We have sourced 21642 MWH energy from wind and solar for the period of April-2025 to September-2025 through open access mode. We are calculating our carbon emission and it is being disclosed in platform like ECO-VADIS and CDP disclosure. We have developed 24 Acres of greenbelt which in turn will help for carbon sequestration.		Date: 29/11/2025
12	Statutory compliance	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996.
<b>PPs Submission:</b> Complied The updated onsite emergency plan is in place. Periodic mock drills are conducted and observation reports along with the recommendations, as applicable, are submitted to DISH authority regularly.		Date: 29/11/2025
13	AIR QUALITY MONITORING AND PRESERVATION	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.
<b>PPs Submission:</b> Complied Volatile organic compounds (VOCs)/Fugitive emissions are controlled through effective chillers/modern technology. Regular monitoring of VOCs is carried out.		Date: 29/11/2025
14	Risk Mitigation and Disaster Management	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
<b>PPs Submission:</b> Complied We are keeping inventory of toxic/hazardous raw material below the approved quantity of statutory requirement and it's also used within specified timeline. We have already developed our onsite emergency plan alongwith probable scenarios and accordingly mitigation measures are taken. Over		Date: 29/11/2025

		and above we are conducting mock drills on quarterly basis to check the effectiveness of onsite emergency plan.	
15	Human Health Environment	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	
<b>PPs Submission:</b> Complied The occupational health centre (OHC) for surveillance of the workers health is in place. The workers health data is used in deploying the duties of the workers. All workers and employees are provided with required safety kits and mask for personal protection.			Date: 29/11/2025
16	Human Health Environment	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.	
<b>PPs Submission:</b> Complied Training is imparted to all employees on safety and health aspects as per operation SOPs. Safety and visual reality training is also provided to employees. Action plan for mitigation measures are properly implemented based on the safety and risk assessment studies			Date: 29/11/2025
17	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	
<b>PPs Submission:</b> Complied Necessary fire-fighting system is in place as per the norms. Its 6 monthly audit is conducted and report in Form B is submitted to Fire Dept MIDC.			Date: 29/11/2025
18	Risk Mitigation and Disaster Management	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	
<b>PPs Submission:</b> Complied Solvent mangement is done as follows (a) Reactors containg solvent are connected to primary ,secondary and Teritary condensor having chilled water/brine. (b) Reactors containg solvent are fitted with meachanical seals and solvent handling pump with mechanical seals to prevent leakages. (c) Solvents are stored desinated Isolated storage and transffered to day tank in the plant for further use. All safety measures are taken while handling of solvents. (d) Earthing are provided in all electrical equipments wherever solvent handling is done. (e) Flameproof fitting are provide as per area classification. Solvent storage tanks are provided with breather valves to prevent losses. (f) All solvent storage tanks in plants are connected with vent condensers with chilled brine circulation.			Date: 29/11/2025
19	WASTE MANAGEMENT	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce	

		wastewater generation.
<b>PPs Submission:</b> Complied Waste Minimization measures implemented are as follows (a) Flow transmitter and control valves are provided for raw material additions; (b) Byproducts are recovered and used in other process as raw materials. (c) Automated filling machines are provided for final product packaging. (d) Close Feeding system are used for reactors. (e) vapor recovery system are provided wherever applicable. (f) Jet cleaning machine is used for equipment cleaning.		Date: 29/11/2025
20	Statutory compliance	The MoEF&CC Notifications on Fly Ash Utilization S.O. 763(E) dated 14.09.1999, S.O. 979(E) dated 27.08.2003, S.O. 2804(E) dated 3.11.2009, S.O. 254(E) dated 25.01.2016 as amended from time to time shall be complied.
<b>PPs Submission:</b> Complied The guidelines given in fly ash notification are complied with. The generated fly ash is sold to authorised brick manufacturers. For April-2025 to September-2025, 1394.250 MT Fly ash generated and 1394.070 MT sold to authorised brick manufacturers.		Date: 29/11/2025
21	AIR QUALITY MONITORING AND PRESERVATION	Flue Gas Desulphurisation System shall be installed based on Lime/Ammonia dosing to capture Sulphur in the flue gases to meet the SO <sub>2</sub> emissions standard of 100 mg/Nm <sup>3</sup> .
<b>PPs Submission:</b> Complied Dry lime feeding system is installed for desulphurization. Air emission norms are within the consented limit.		Date: 29/11/2025
22	AIR QUALITY MONITORING AND PRESERVATION	High efficiency Electrostatic Precipitators (ESPs) shall be installed in each unit to ensure that particulate matter (PM) emission to meet the stipulated standards of 30 mg/Nm <sup>3</sup> .
<b>PPs Submission:</b> Complied High efficiency Electrostatic Precipitators (ESPs) are installed to ensure that particulate matter (PM) emission is within the consented norms.		Date: 29/11/2025
23	Statutory compliance	The project proponent shall prepare 100% fly ash and bottom ash utilization plan and implemented in stipulated time period. The PP shall comply with Ministry's latest Notification regarding fly ash utilization from first year of commissioning. Bottom ash shall be explored to utilized as a resource not as a waste.
<b>PPs Submission:</b> Complied The fly ash and bottom ash utilization plan meeting the guidelines is in place and being followed. Ministry's latest Notification regarding fly ash utilization is being complied.		Date: 29/11/2025
24	Risk Mitigation and Disaster Management	The storage of toxic/hazardous raw material shall be bare minimum with respect to their quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
<b>PPs Submission:</b> Complied We are keeping inventory of toxic/hazardous raw material below the approved quantity of statutory requirement and it's also used within specified timeline. We have already developed our onsite emergency plan alongwith probable scenarios and accordingly mitigation measures are taken. Over and above we are conducting mock drills on quarterly basis to check the effectiveness of onsite emergency plan.		Date: 29/11/2025
25	MISCELLANEOUS	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect

		of environmental management, and risk mitigation measures relating to the project shall be implemented.
<b>PPs Submission:</b> Complied All the environmental protection measures and safeguards proposed in the EIA are being complied. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project are being implemented.		Date: 29/11/2025
26	Statutory compliance	Dust collector followed by ESP alongwith common 78 m stack height shall be installed in the proposed Indonesian Coal/agro briquette fired Steam Boiler (90 TPH)(1 operational + 1 standby) to control the particulate emissions. Lime addition shall be for dry scrubbing to control SO <sub>2</sub> emissions.
<b>PPs Submission:</b> Complied To control particulate emission, dust collectors followed by ESP and stack are provided in boiler. Lime addition system for dry scrubbing to control SO <sub>2</sub> emissions is provided.		Date: 29/11/2025
27	AIR QUALITY MONITORING AND PRESERVATION	Alkali scrubber shall be provided in processed stack to control process emissions viz Cl <sub>2</sub> , Br <sub>2</sub> , HBr, HBr, CN and H <sub>2</sub> S. Water and Alkali scrubber shall be provided in processed stack to control process emissions viz HF, SO and HCl. Water scrubber shall be provided in processed stack to control process emissions viz NH <sub>3</sub> .
<b>PPs Submission:</b> Complied Water and alkali scrubbers are provided at process stacks, as applicable, to control process emissions		Date: 29/11/2025
28	WASTE MANAGEMENT	Hazardous waste shall be managed and disposed of as per Hazardous and other waste (Management and Trans boundary) Rules 2016.
<b>PPs Submission:</b> Complied The HOWM rules, as applicable, are complied.		Date: 29/11/2025
29	WASTE MANAGEMENT	Fly ash shall be stored into silo with proper care and sold to cement/RMC/ paver blocks/ building bricks manufacturer units. Fly ash shall be supplied to the other companies for land leveling, conditioning, road construction, etc after prior approval of SPCB.
<b>PPs Submission:</b> Complied The fly ash generated is stored in silos. The fly ash is sold to authorised vendors. fly ash generation and disposal reports are submitted to the state authorities.		Date: 29/11/2025
30	WASTE MANAGEMENT	New Incinerator shall be designed as per CPCB guidelines. Energy shall be recovered from incinerator.
<b>PPs Submission:</b> Complied Incinerator design is as per the CPCB Guidelines. As per waste management Hierarchy priority is given for Pre-processing of waste at CHWTSDF for energy recovery.		Date: 29/11/2025
31	WASTE MANAGEMENT	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.
<b>PPs Submission:</b> Complied		Date:

Awareness training on ban of Single use plastic is already conducted among all the employee.  
Awareness campaigns shall be extended upto nearby communities also by providing them with cloth bags.

29/11/2025

## General Conditions

Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
<b>PPs Submission:</b> Agreed to Comply Noted and shall be complied.		<b>Date:</b> 29/11/2025
2	Statutory compliance	The PP shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
<b>PPs Submission:</b> Complied The MSIHC / HOWM rules, as applicable, are complied with.		<b>Date:</b> 29/11/2025
3	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
<b>PPs Submission:</b> Complied The LED lamps are fitted for lighting purpose. We have sourced 21642 MWH energy from wind and solar for the period of April-2025 to September-2025 through open access mode.		<b>Date:</b> 29/11/2025
4	Statutory compliance	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
<b>PPs Submission:</b> Complied The noise control measures are provided within the plant. Periodic noise monitoring from MOEF approved lab and in house lab are carried out. The noise levels are within the consented norms.		<b>Date:</b> 29/11/2025
5	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

<b>PPs Submission:</b> Complied To improve the socio economic conditions, many activities are being undertaken by our CSR and CER cells covering eco-developmental issues including community welfare measures. Expenditure towards CSR for FY2526 (Till September-2025) is 228.18 Lacs.		Date: 29/11/2025
6	Corporate Environmental Responsibility	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
<b>PPs Submission:</b> Complied Practice of reserving sufficient funds towards capital and recurring costs towards environment management/ pollution control measures is in place.		Date: 29/11/2025
7	MISCELLANEOUS	A copy of the clearance letter shall be sent by the PP to concerned Panchayat, ZillaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
<b>PPs Submission:</b> Complied Already complied.		Date: 29/11/2025
8	MISCELLANEOUS	The PP shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
<b>PPs Submission:</b> Complied Six monthly compliance report are being uploaded on parivesh portal on June 1 st and Dec 1st every year as per the guidelines. Further EC copy and six monthly compliance report have been uploaded on company website.		Date: 29/11/2025
9	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.
<b>PPs Submission:</b> Complied Environment Statement in Form V regularly being submitted to MPCB. Further copies were emailed to IRO of MoEF and CC. Status of compliance of environmental clearance conditions is kept on company website.		Date: 29/11/2025
10	Statutory compliance	The PP shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

<b>PPs Submission:</b> Complied Already complied. The intimation was published in local newspapers, Pudhari and Ratnagiri Times, dated 05.01.2024.		<b>Date:</b> 29/11/2025
11	Statutory compliance	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
<b>PPs Submission:</b> Agreed to Comply Project was started in January 2024 and is partly completed. Financial closure date shall be communicated to Regional Office as well as the Ministry,		<b>Date:</b> 29/11/2025
12	MISCELLANEOUS	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
<b>PPs Submission:</b> Complied Noted, no further compliance is envisaged.		<b>Date:</b> 29/11/2025
<div style="text-align: center;"><b>Visit Remarks</b></div>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		Complied.
<p><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		